

SILVERLINK 600



DF66 - Lincat Silverlink 600 Electric Counter-top Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 3.0 kW The Silverlink 600 Electric Twin Tank Counter Top Fryer has two independently operated fryer tanks for greater versatility, combined with a power that can deliver 24kg of chips per hour.

- Two independently operated fryer tanks for greater versatility, delivering 24kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil
- Supplied with two cables and two plugs for easy installation

Specifications Power and Performance **Summary** Total Power kW **Brand** 2×3.0 Lincat Temperature Range °C 130-190 Range Silverlink 600 **Power Type** Electric IP Rating IP33 **Unit Type** Counter-top **Temperature Control** Mechanical Available in UK Only No **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer GTIN 5056105100034 **Key Specifications** Capacity **Number of Baskets** 2 16kg chips - 12mm [frozen], 24kg chips -**Product Output per Hour** 12mm [chi **Number of Tanks** 2 **Capacity Litres** 2×9.0 **Gravity Filtration** Νn **Pumped Filtration** Νo **Drain Location** Front-mounted **Weights and Dimensions Supply Connections** Unit Height (External) mm Requires Installation No Unit Width (External) mm 600 **Requires Electrical Supply** Yes Unit Depth (External) mm 600 UK 3 Pin Plua Yes Net Weight Kg 22 **Requires Hardwiring** No **Electrical Supply Rating Watts** 2 x 3,000 2 x 13.0 Single Phase Amps Single Phase Voltage **Shipping** Packed Weight Kg Packed Height cm 49.5 Packed Width cm 70 Packed Depth cm 70





SILVERLINK 600


Available Accessories


BA96	BASKET SPUN DFSMALL
CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture















Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Print Date: 07/04/2020 Product Code: DF66 Page Number: 3